

## **Tutorial 2**

### **Specific humidity versus mixing ratio**

Specific humidity is defined as the ratio of the masses of vapor and mixture

$$q_v = \frac{m_v}{m},$$

where  $m_v$  is the mass of water vapor and  $m$  is the mass of mixture, i.e. dry air and water vapor, and  $\varepsilon = 0.622$ . Specific humidity can be expressed in terms of the vapor partial pressure  $e$  and the total pressure of mixture  $p$  as:

$$q_v = \varepsilon \frac{e}{p - (1 - \varepsilon)e}.$$

Another way of description of the quantity of water vapor in the air is by introducing the mixing ratio defined as the ratio of the masses of vapor and dry air ( $m_d$ ):

$$r_v = \frac{m_v}{m_d}.$$

In terms of pressures the mixing ratio is expressed by:

$$r_v = \varepsilon \frac{e}{p - e}.$$

For atmospheric temperatures and pressures the water vapor mixing ratio seldom exceeds 30 g/kg.

Show what is the difference between mixing ratio and specific humidity. Discuss the results.

Quite often approximative formulae for specific humidity and mixing ratio are used:

$$q_{v,a} = \varepsilon \frac{e}{p}, \quad r_{v,a} = \varepsilon \frac{e}{p}.$$

Discuss the error one makes when using those approximate formulae.